


# Kraftform Turbo

The screwdriving time machine





# The Krafftform Turbo accelerates the screwdriving – in a purely mechanical way.

## Faster screwdriving



The construction of the Krafftform Turbo allows a quadruplication of the speed when manually screwdriving - purely mechanical, without electricity!

## With and without Turbo



If required, the turbo function can be activated by simply pressing a button. Turning it off is recommended for loosening or for fine adjustment and final tightening of the screw with a high torque.

## Robust, maintenance-free gear made of steel



The robust steel design is maintenance-free and ensures a long product life.

## Handle/interchangeable blade system



Thanks to the Rapidaptor bit holder, the Krafftform Turbo can be used with all conventional 1/4" bits.

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver.

A part time universal gear is the solution: integrated in the handle of the screwdriver, it significantly increases the working speed.

The Krafftform Turbo accelerates the screwdriving in a purely mechanical way.





## 827 T i Kraftform Turbo hand holder



**Application:** For Wera VDE interchangeable blades only

**Design:** Connectable mechanic turbo function for quadrupling the screwdriving speed; robust, maintenance-free gear made of steel

**Handle:** Kraftform with anti-roll protection, multi-component

	mm	mm
05057481001	9	125

## Kraftform Kompakt Turbo i 1



16-piece set

1 blade holding 817 Kraftform VDE handle and 1 blade holding 827 T i Kraftform Turbo handle; both for Wera VDE interchangeable blades only

14 VDE interchangeable blades (each 154 mm long) with reduced blade diameter (Articles KK 60 i 0,4x2,5 and KK 67 i TX 10 standard blade diameter) with integrated protective insulation, so that low-lying screw and spring elements can be reached and operated

05057484001		
●	827 T i Kraftform Turbo	1x 9x125
●	817 VDE	1x 9x102
+	KK 62 iS	1x PH 1x154; 1x PH 2x154
+	KK 65 iS PZ	1x PZ 1x154; 1x PZ 2x154
+	KK 65 iS PZ/S	1x # 1x154; 1x # 2x154
+	KK 67 i TORX®	1x TX 10x154
+	KK 67 iS TORX®	1x TX 15x154; 1x TX 20x154; 1x TX 25x154
●	KK 60 i	1x 0,4x2,5x154
●	KK 60 iS	1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154

## Handle/interchangeable blade system



With its 9 mm mounting, the Kraftform Turbo is suitable for all Wera Kraftform Kompakt VDE interchangeable blades. The "holder/interchangeable blade system" stands for flexible working with many screw profiles.

## Kraftform Kompakt Turbo i Imperial 1



16-piece set

1 blade holding 817 Kraftform VDE handle and 1 blade holding 827 T i Kraftform Turbo handle; both for Wera VDE interchangeable blades only

14 VDE interchangeable blades (each 154 mm long) with reduced blade diameter (Articles KK 60 i 0,4x2,5 and KK 67 i TX 10 standard blade diameter) with integrated protective insulation, so that low-lying screw and spring elements can be reached and operated

05057485001		
●	827 T i Kraftform Turbo	1x 9x125
●	817 VDE	1x 9x102
+	KK 62 iS	1x PH 1x154; 1x PH 2x154
+	KK 62 i PH/S	1x # 1x154; 1x # 2x154
+	KK 67 i TORX®	1x TX 10x154
+	KK 67 iS TORX®	1x TX 15x154; 1x TX 20x154; 1x TX 25x154
●	KK 68 iS	1x # 1x154; 1x # 2x154
●	KK 60 i	1x 0,4x2,5x154
●	KK 60 iS	1x 0,6x3,5x154; 1x 0,8x4,0x154; 1x 1,0x5,5x154

## 826 T Kraftform Turbo bits handholder with Rapidaptor quick-release chuck




**Application:** Suitable for bits with 1/4"-external hexagon drive as per DIN ISO 1173-C 6,3 and E 6,3 and Wera connection series 1 and 4

**Design:** Connectable mechanic turbo function for quadrupling the screwdriving speed; robust, maintenance-free gear made of steel; 1/4"-hexagon socket mounting with Rapidaptor technology with rapid-in, rapid-out, rapid-spin, chuck-all and single-hand functions, magnetic

**Handle:** Kraftform with anti-roll protection, multi-component

	mm	
05057480001	1/4"	146

## Kraftform Kompakt Turbo 1




Folding pouch with 89 mm long bits

19-piece set

1 bit-holding Kraftform Turbo with Rapidaptor quick-release chuck

05057482001		
	826 T	1x 1/4"x146
	<b>Kraftform Turbo</b>	
	851/4 Z PH	1x PH 1x89; 1x PH 2x89; 1x PH 3x89
	855/4 Z PZ	1x PZ 1x89; 1x PZ 2x89; 1x PZ 3x89
	867/4 Z TORX®	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89
	840/4 Z Hex-Plus	1x 3,0x89; 1x 4,0x89; 1x 5,0x89; 1x 6,0x89
	800/4 Z	1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89

## Kraftform Kompakt Turbo Imperial 1



Folding pouch with 89 mm long bits

19-piece set

1 bit-holding Kraftform Turbo with Rapidaptor quick-release chuck

05057483001		
	826 T	1x 1/4"x146
	<b>Kraftform Turbo</b>	
	851/4 Z PH	1x PH 1x89; 1x PH 2x89; 1x PH 3x89
	867/4 Z TORX®	1x TX 10x89; 1x TX 15x89; 1x TX 20x89; 1x TX 25x89; 1x TX 30x89
	840/4 Z Hex-Plus	1x 3/32"x89; 1x 1/8"x89; 1x 5/32"x89; 1x 3/16"x89
	868/4 Square-Plus	1x # 1x89; 1x # 2x89; 1x # 3x89
	800/4 Z	1x 0,8x4,0x89; 1x 1,0x5,5x89; 1x 1,2x6,5x89



Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal


Phone: +49 (0)202/40 45-0  
Fax: +49 (0)202/40 45-276  
E-Mail: [info@wera.de](mailto:info@wera.de)  
[www.wera.de](http://www.wera.de)

Wera Tools Inc. (North America)  
4129 Harvester Rd, Unit H  
Burlington, Ontario  
Canada, L7L 5M3

Phone: 1-800-267-55 41  
E-Mail: [info@weratools.com](mailto:info@weratools.com)  
Internet: [www.weratools.com](http://www.weratools.com)

Wera Tools (UK) LTD.  
Railway View  
Clay Cross  
Chesterfield  
Derbyshire, S45 9FR

Phone: +44 (0)1246 / 277756  
Fax: +44 (0)1246 / 273335  
eMail: [queries@wera-tools.co.uk](mailto:queries@wera-tools.co.uk)  
Internet: [www.wera-tools.co.uk](http://www.wera-tools.co.uk)



0 5 0 1 1 5 3 0 0 1  
EN 05 501153 001 - 0053701 - 01